



X^e SILVER 70 Technical Data

☐ Solar Energy Transmission.....	55%
☐ Solar Energy reflection.....	16%
☐ Solar Energy Absorption.....	30%
☐ Visible Light Transmission.....	64%
☐ Visible Light Reflection- Exterior.....	12%
☐ Visible Light Reflection- Interior.....	15%
☐ Shading Coefficient.....	0.78
☐ UVTransmission.....	<1%
☐ Glare Reduction.....	25%
☐ Infrared Rejection (at 1025 NW)	39%
☐ Total Solar Energy Rejected.....	35%

Characteristics & Benefits

- ☐ Solar control and privacy film.
- ☐ Significant improvement of working conditions due to high reduction in solar heat gain
- ☐ Reduction in air-conditioning costs and hence reduction in energy costs
- ☐ Glare reduction.
- ☐ Excellent anti-UV protection integral to the polyester, reduces fading of textiles, furniture, and works of art.
- ☐ Scratch resistance coating: increased longevity and easy cleaning.
- ☐ Interior installation.